

**RD SHARMA**


**Solutions**

**Class 9 Maths**

**Chapter 10**

**Ex 10.1**

(1) In Fig. (10).22, the sides BA and CA have been produced such that:  $BA = AD$  and  $CA = AE$ . Prove that segment  $DE \parallel BC$ .




Solution:

Given that, the sides BA and CA have been produced such that  $BA = AD$  and  $CA = AE$  and given to prove  $DE \parallel BC$   
Consider triangle BAC and DAE,

We have

$BA = AD$  and  $CA = AE$  [given in the data]



And also  $\angle BAC = \angle DAE$  [vertically opposite angles]

So, by SAS congruence criterion, we have

$\triangle BAC \cong \triangle DAE$

$BC = DE$  and  $\angle DEA = \angle BCA$ ,  $\angle EDA = \angle CBA$

[Corresponding parts of congruent triangles are equal]


Now, DE and BC are two lines intersected by a transversal DB such that  $\angle DEA = \angle BCA$  i.e.. alternate angles are equal Therefore,  $DE \parallel BC$ .

(2) In a PQR, if  $PQ = QR$  and L, M and N are the mid-points of the sides PQ, QR and RP respectively. Prove that  $LN = MN$ .

Solution: Given that,

In PQR,  $PQ = QR$  and L, M, N are midpoints of the sides PQ, QR and RP respectively and given to prove that  $LN = MN$

Here we can observe that PQR is an isosceles triangle



$PQ = QR$  and  $\angle QPR = \angle QRP$  \_\_\_\_ (i)

And also, L and M are midpoints of PQ and QR respectively

$$PL = LQ = QM = MR = \frac{PQ}{2} = \frac{QR}{2}$$

And also,  $PQ = QR$

Now, consider  $\triangle LPN$  and  $\triangle MRN$ ,  $LP = MR$  [From - (2)]

$\angle LPN = \angle MRN$  [From - (1)]


$\angle QPR$  and  $\angle LPN$  and  $\angle QRP$  and  $\angle MRN$  are same.

$PN = NR$  [N is midpoint of PR]

So, by SAS congruence criterion, we have  $\triangle LPN = \triangle MRN$


$LN = MN$  [Corresponding parts of congruent triangles are equal]

(3) In fig. (10).23, PQRS is a square and SRT is an equilateral triangle. Prove that (i)  $PT = QT$  (ii)  $\angle TQR = 15^\circ$




Solution: Given that PQRS is a square and SRT is an equilateral triangle. And given to prove that

(i)  $PT = QT$  and (ii)  $\angle TQR = 15^\circ$







Now,

$$D \text{ is midpoint of } BC \Rightarrow BD = DC = \frac{BC}{2}$$

$$\text{Similarly, } CE = EA = \frac{AC}{2}$$

$$AF = FB = \frac{AB}{2}$$

Since  $\triangle ABC$  is an equilateral triangle

$$\Rightarrow AB = BC = CA \quad \text{---(i)}$$

$$\Rightarrow BD = DC = CE = EA = AF = FB = \frac{BC}{2} = \frac{AC}{2} = \frac{AB}{2} \quad \text{---(ii)}$$

$$\text{And also, } \angle ABC = \angle BCA = \angle CAB = 60^\circ \quad \text{---(iii)}$$

Now, consider  $\triangle ABD$  and  $\triangle BCE$   $AB = BC$  [From (i)]

$$BD = CE \quad \text{[From (ii)]}$$

Now, in  $\triangle TSR$  and  $\triangle TRQ$

$$TS = TR \quad \text{[From (iii)]}$$

$$\angle ABD = \angle BCE \quad \text{[From (iii)] [}\angle ABD \text{ and } \angle ABC \text{ and } \angle BCE \text{ and } \angle BCA \text{ are same]}$$

So, from SAS congruence criterion, we have

$$\triangle ABD = \triangle BCE$$

$$AD = BE \quad \text{---(iv)}$$

[Corresponding parts of congruent triangles are equal]

Now, consider  $\triangle BCE$  and  $\triangle CAF$ ,  $BC = CA$  [From (i)]

$$\angle BCE = \angle CAF \quad \text{[From (ii)]}$$

[ $\angle BCE$  and  $\angle BCA$  and  $\angle CAF$  and  $\angle CAB$  are same]

$$CE = AF \quad \text{[From (ii)]}$$

So, from SAS congruence criterion, we have

$$\triangle BCE = \triangle CAF$$

$$BE = CF \quad \text{(v)}$$

[Corresponding parts of congruent triangles are equal]

From (iv) and (v), we have

$$AD = BE = CF$$

$$\text{Median AD} = \text{Median BE} = \text{Median CF}$$

The medians of an equilateral triangle are equal.


Hence proved

(5) In a  $\triangle ABC$ , if  $\angle A = 120^\circ$  and  $AB = AC$ . Find  $\angle B$  and  $\angle C$ .

Solution:

Consider a  $\triangle ABC$

Given  $\angle A = 120^\circ$  and  $AB = AC$  and given to find  $\angle B$  and  $\angle C$ .



We can observe that  $\triangle ABC$  is an isosceles triangle since  $AB = AC$

$$\angle B = \angle C \text{ (i)}$$

[Angles opposite to equal sides are equal]

We know that sum of angles in a triangle is equal to  $180^\circ$

$$\Rightarrow \angle A + \angle B + \angle C = 180^\circ$$

[From (i)]

$$\Rightarrow \angle A + \angle B + \angle B = 180^\circ$$

$$\Rightarrow 120^\circ + 2\angle B = 180^\circ$$

$$\Rightarrow 2\angle B = 180^\circ - 120^\circ$$

$$\Rightarrow \angle B = \angle C = 30^\circ$$

(6) In a  $\triangle ABC$ , if  $AB = AC$  and  $\angle B = 70^\circ$ . Find  $\angle A$ .

Solution:

Consider a  $\triangle ABC$ , if  $AB = AC$  and  $\angle B = 70^\circ$

Since,  $AB = AC$   $\triangle ABC$  is an isosceles triangle

$$\angle B = \angle C \text{ [Angles opposite to equal sides are equal]}$$

$$\angle B = \angle C = 70^\circ$$

And also,

Sum of angles in a triangle =  $180^\circ$

$$\angle A + \angle B + \angle C = 180^\circ$$

$$\angle A + 70^\circ + 70^\circ = 180^\circ$$

$$\angle A = 180^\circ - 140^\circ$$

$$\angle A = 40^\circ$$

(7) The vertical angle of an isosceles triangle is  $100^\circ$ . Find its base angles.

Solution:

Consider an isosceles  $\triangle ABC$  such that  $AB = AC$

Given that vertical angle A is  $100^\circ$

To find the base angles

Since  $\triangle ABC$  is isosceles

$$\angle B = \angle C \text{ [Angles opposite to equal sides are equal]}$$

And also,

Sum of interior angles of a triangle =  $180^\circ$

$$\angle A + \angle B + \angle C = 180^\circ$$

$$(10)0^\circ + \angle B + \angle B = 180^\circ$$

$$2\angle B = 180^\circ - (10)0^\circ$$

$$\angle B = 40^\circ$$

$$\angle B = \angle C = 40^\circ$$

(8) In Fig. (10).24,  $AB = AC$  and  $\angle ACD = (10)5^\circ$ . Find  $\angle BAC$ .

Solution:

Consider the given figure

We have,

$$AB = AC \text{ and } \angle ACD = (10)5^\circ$$

Since,  $\angle BCD = 180^\circ = \text{Straight angle}$

$$\angle BCA + \angle ACD = 180^\circ$$

$$\angle BCA + (10)5^\circ = 180^\circ$$

$$\angle BCA = 180^\circ - (10)5^\circ$$

$$\angle BCA = 75^\circ$$

And also,

$\triangle ABC$  is an isosceles triangle [  $AB = AC$  ]

$$\angle ABC = \angle ACB \text{ [Angles opposite to equal sides are equal]}$$

From (i), we have

$$\angle ACB = 75^\circ$$

$$\angle ABC = \angle ACB = 75^\circ$$

And also,

Sum of Interior angles of a triangle =  $180^\circ$

$$\angle ABC + \angle BCA + \angle CAB = 180^\circ$$

$$75^\circ + 75^\circ + \angle CAB = 180^\circ$$

$$150^\circ + \angle BAC = 180^\circ$$

$$\angle BAC = 180^\circ - 150^\circ = 30^\circ$$

$$\angle BAC = 30^\circ$$

(9) Find the measure of each exterior angle of an equilateral triangle.

Solution:

Given to find the measure of each exterior angle of an equilateral triangle consider an equilateral triangle ABC.

We know that for an equilateral triangle

$$AB = BC = CA \text{ and } \angle ABC = \angle BCA = \angle CAB = \frac{180^\circ}{3} = 60^\circ \quad \text{---(i)}$$

Now,

Extend side BC to D, CA to E and AB to F.

Here BCD is a straight line segment

$$\begin{aligned} \text{BCD} &= \text{Straight angle} = 180^\circ \\ \angle BCA + \angle ACD &= 180^\circ \text{ [From (i)]} \\ 60^\circ + \angle ACD &= 180^\circ \\ \angle ACD &= 120^\circ \end{aligned}$$

Similarly, we can find  $\angle FAB$  and  $\angle FBC$  also as  $120^\circ$  because ABC is an equilateral triangle

$$\angle ACD = \angle EAB = \angle FBC = 120^\circ$$

Hence, the measure of each exterior angle of an equilateral triangle is  $120^\circ$

(10) If the base of an isosceles triangle is produced on both sides, prove that the exterior angles so formed are equal to each other.

Solution:


ED is a straight line segment and B and C are points on it.

$$\begin{aligned} \angle EBC &= \angle BCD = \text{straight angle} = 180^\circ \\ \angle EBA + \angle ABC &= \angle ACB + \angle ACD \\ \angle EBA &= \angle ACD + \angle ACB - \angle ABC \\ \angle EBA &= \angle ACD \text{ [From (i) } \angle ABC = \angle ACB \text{]} \end{aligned}$$

$$\angle ABE = \angle ACD$$

Hence proved


(11) In Fig. (10).2(5)  $AB = AC$  and  $DB = DC$ , find the ratio  $\angle ABD : \angle ACD$ .



Solution:

Consider the figure





Given,

$AB = AC$ ,  $DB = DC$  and given to find the ratio

$\angle ABD = \angle ACD$

Now,  $\triangle ABC$  and  $\triangle DBC$  are isosceles triangles since  $AB = AC$  and  $DB = DC$  respectively

$\angle ABC = \angle ACB$  and  $\angle DBC = \angle DCB$  [Angles opposite to equal sides are equal]

Now consider,

$\angle ABD : \angle ACD$

$(\angle ABC - \angle DBC) : (\angle ACB - \angle DCB)$

$(\angle ABC - \angle DBC) : (\angle ABC - \angle DBC)$  [ $\angle ABC = \angle ACB$  and  $\angle DBC = \angle DCB$ ]

1:1

$ABD : ACD = 1:1$

(12) Determine the measure of each of the equal angles of a right-angled isosceles triangle.

OR

$ABC$  is a right-angled triangle in which  $\angle A = 90^\circ$  and  $AB = AC$ . Find  $\angle B$  and  $\angle C$ .

Solution:

$ABC$  is a right angled triangle

Consider on a right – angled isosceles triangle  $ABC$  such that

$\angle A = 90^\circ$  and  $AB = AC$  Since,

$AB = AC \Rightarrow \angle C = \angle B$  \_\_\_\_\_(i)

[Angles opposite to equal sides are equal]

Now, Sum of angles in a triangle =  $180^\circ$

$\angle A + \angle B + \angle C = 180^\circ$

$\Rightarrow 90^\circ + \angle B + \angle B = 180^\circ$


$\Rightarrow 2\angle B = 90^\circ$

$\Rightarrow \angle B = 45^\circ$

$\angle B = 45^\circ$ ,  $\angle C = 45^\circ$


Hence, the measure of each of the equal angles of a right-angled Isosceles triangle is  $45^\circ$

(13) AB is a line segment. P and Q are points on opposite sides of AB such that each of them is equidistant from the points A and B (See Fig. (10).26). Show that the line PQ is perpendicular bisector of AB.



Solution:

Consider the figure.



We have

AB is a line segment and P, Q are points on opposite sides of AB such that

$$AP = BP \quad \text{_____ (i)}$$

$$AQ = BQ \quad \text{_____ (ii)}$$

We have to prove that PQ is perpendicular bisector of AB.

Now consider  $\triangle PAQ$  and  $\triangle PBQ$ ,

We have

$$AP = BP \quad \text{[From (i)]}$$

$$AQ = BQ \quad \text{[From (ii)]}$$

$$\text{And } PQ = PQ \quad \text{[Common side]}$$

$$\triangle PAQ \cong \triangle PBQ \quad \text{_____ (iii) [From SAS congruence]}$$

Now, we can observe that  $\triangle PAB$  and  $\triangle QAB$  are isosceles triangles. [From (i) and (ii)]

$$\angle PAB = \angle ABQ \text{ and } \angle QAB = \angle QBA$$

Now consider  $\triangle PAC$  and  $\triangle PBC$

C is the point of intersection of AB and PQ

$$PA = PB \quad [\text{From (i)}]$$

$$\angle APC = \angle BPC \quad [\text{From (ii)}]$$

$$PC = PC \quad [\text{common side}]$$

So, from SAS congruency of triangle  $\triangle PAC \cong \triangle PBC$

$AC = CB$  and  $\angle PCA = \angle PBC$  \_\_\_\_\_(iv) [ Corresponding parts of congruent triangles are equal] And also,  $ACB$  is line segment

$$\angle ACP + \angle BCP = 180^\circ$$

$$\angle ACP = \angle PCB$$

$$\angle ACP = \angle PCB = 90^\circ <$$

We have  $AC = CB \Rightarrow C$  is the midpoint of  $AB$

From (iv) and (v)

We can conclude that  $PC$  is the perpendicular bisector of  $AB$

Since  $C$  is a point on the line  $PQ$ , we can say that  $PQ$  is the perpendicular bisector of  $AB$ .